



# EPA

United States  
Environmental Protection  
Agency

**JUNE 18<sup>TH</sup> 2015**  
**1:30PM- 3:30PM EDT**

## **LEAD AND COPPER 101 WEBINAR SERIES: PART 2**

### ***Requirements After an Action Level Exceedance***

This webinar will discuss Lead and Copper Rule requirements after an action level exceedance. This will include public education requirements, corrosion control treatment, optimal water quality parameters, source water monitoring, and lead service line replacement requirements.

### **Other Webinars in This Series:**

PART 1: Requirements Before an Action Level Exceedance  
**May 7<sup>th</sup> 1:30pm-3:30pm EDT COMPLETED**

PART 2: Requirements After an Action Level Exceedance  
**June 18<sup>th</sup> 1:30pm-3:30pm EDT**

PART 3: Compliance Determination and Reporting  
Requirements:  
**July 9<sup>th</sup> 1:30pm-3:30pm EDT**



EPA's Office of Water is hosting a 3-part webinar series discussing the Lead and Copper Rule.

### **For all three webinars:**

Attendees will have an opportunity to ask questions and hear from EPA's Lead and Copper Rule writers and managers.

**Registration link:** <http://login.icohere.com/registration/register.cfm?reg=1772&evt=LCR101Part2&code=Flyer>

### **Who Should Attend?**

This webinar is open to states, primacy agencies, tribes, community planners, water systems, academia, and those seeking further explanation of the Lead and Copper Rule.

If you have any questions, comments, or feedback about the webinar series, please contact:

[Banks.Victoria@epa.gov](mailto:Banks.Victoria@epa.gov)